

Master Plan



Millennium Park

Master plan recommendations were distilled through the process described above along with input from the community and city staff. The recommendations for Millennium Park are shown within the park below and listed with potential timeframe for implementation and order of magnitude cost on the following page.

Eleven new facility considerations and eight updates to existing facilities were evaluated and listed in the scatter chart shown on the following page. Adding a nature trail and resurfacing the existing asphalt trail were shown

to have the highest community value of the suggested improvements. The nature trail was prioritized as a near term improvement. Adding additional interpretive / educational signage will increase the community value of the new nature trail at a low cost and should be implemented at the same time. Resurfacing the existing asphalt trail is suggested as a 3-6 year improvement as the current condition does not require immediate action. The addition of outdoor fitness equipment will provide an opportunity to increase activity levels in the community, a factor considered in this plan, and can be a resource for



Figure 17: Illustration of Location for Recommended Park Improvements



Master Plan

the city's growing senior population. This is recommended as a near term priority. A ninja course and amphitheater or band stand were all identified as community desires in the planning process and found to have high community value. An amphitheater will provide an opportunity

MILLENNIUM PARK RECOMMENDED IMPROVEMENTS		
Improvements to Existing Facilities	Timeframe	Order of Magnitude Cost
Improve Signage	0-3 years	< \$25K
Asphalt Trail Resurfacing	3-6 years	\$100-250K
Playground Improvements	3-6 years	\$100-250K
Considerations for New Facilities	Timeframe	Order of Magnitude Cost
Nature Trail with Interpretive Elements	0-3 years	\$100-250K
Outdoor Fitness Equipment	0-3 years	\$25-100K
Amphitheater / Band Stand	3-6 years	\$100-250K
Expanded Water Play Feature	3-6 years	\$100-250K
Ninja Course	3-6 years	\$100-250K
New Connection to Deland Drive	3-6 years	\$25-100K

Figure 19: Recommended Improvements with Timeframe and Order of Magnitude Cost




Figure 18: Community Value Vs. Cost Scatter Chart

to greatly increase the park system's program offerings with concerts in the park and other events, as well as fulfill a recreation need based on the standards explained in Section 3 - Park Land and Facility Analysis.

The splash pad is already a popular community destination, and so the plan recommends expanding it with new water play features that will ensure the park system is meeting the needs of an growing population. Playground improvements have been included as a 3-6 year project to ensure the park's facilities stay up to date. It is recommended that the updates focus on the primary playgrounds, while the playground near the baseball field be removed. To increase pedestrian connections, a walkway can be developed connecting to Deland Drive at the south-east portion of the park as a 6-10 year improvement. In addition, BJC hospital, located just north of the park, is planning to include a sidewalk connecting the hospital to the park as part of their ongoing development.